## **AWTA PRODUCT TESTING**

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400 Fax (03) 9371 2499

## **TEST REPORT**

Client: Golden Field Corporation Pty Ltd

9-11 Hillwin Street Reservoir VIC 3073 Test Number : 18-002823 Issue Date : 29/05/2018

**Print Date** : 8/06/2018

Sample Description Clients Ref: "Noble Oak Flooring"

Engineered timber plywood floor panel with oak facing

End Use: Floating floor with tongue & groove click system

Nominal Composition: European Oak Timber

Nominal Mass per Unit Area/Density: Approx: 7.5kg/m2

Nominal Thickness: 14mm

## AS 4586-2013 Appendix A

## Slip Resistance Classification of new Pedestrian Surface Materials Wet Pendulum Test Method

Date of Test 28/05/2018

Test Temperature (20±5degC) 22 °C

Sample Preparation Washed wih pH neutral detergent and then dried.

Test Direction Length

Fixed/Unfixed Unfixed

Slider No 96 Batch No 72

Length 1 2 3 4 5 SRV British Pendulum 46 43 46 43 41 44

Number

Classification P3

Equipment: Cooper Pendulum Skid Tester Serial No: 1433-01 Calibrated 16/10/2017 Slider prepared using P400 and 3µm lapping film.

These results apply only to the specimens tested and it is recommended that before selection of flooring or paving materials the effect of service conditions, including maintenance and wear on their slip resistance be checked.

131702 27935 Page 1 of 1

Australian Wool testing Authority Ltd Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025 - Testing - Chemical Testing

- Mechanical Testing

- Performance & Approvals Testing

: Accreditation No. : Accreditation No.

: Accreditation No. 985 : Accreditation No. 1356

983

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.



IICHAEL A. JACKSON B.Sc.(Hons)

APPROVED SIGNATORY